






Compact

Code	Model	Dimensions LxWxH cm			
P10CP10019	M35/8-M	↔ 58	↗ 50	↕ 29	
	Control	Chamber height cm	Cooking surface cm		
	Manual	8,5	35x35		
	Pizza Capacity	Max Temperature	Weight Kg		
	1 x Ø 30/34	 450 °C	 30		
	Total Power KW	Voltage V	Phases Ph	Frequency Hz	
	2,20	230	1N + T	50	



Compact

Code
P10CP10019

Model
M35/8-M

General Features

Stackable up to 4 single chambers, according to your needs.






Innovative design, ergonomic handle to facilitate door opening.

Available in the version with a cooking surface of 35 or 50 cm.

Simple, fast, and compact. Ideal for any type of activity.



Compact

Code	Model	Dimensions LxWxH cm			
P10CP10020	M35/8-B	↔ 58	↗ 50	↕ 47	
	Control	Chamber height cm	Cooking surface cm		
	Manual	8,5	35x35		
	Pizza Capacity	Max Temperature	Weight Kg		
	1 x Ø 30/34	 450 °C		55	
	Total Power KW	Voltage V	Phases Ph	Frequency Hz	
	4,40	230	1N + T	50	



Compact

Code

P10CP10020

Model

M35/8-B

General Features

Stackable up to 4 single chambers, according to your needs.






Innovative design, ergonomic handle to facilitate door opening.

Available in the version with a cooking surface of 35 or 50 cm.

Simple, fast, and compact. Ideal for any type of activity.



Compact

Code	Model	Dimensions LxWxH cm			
P10CP10021	M35/17	↔ 58	↗ 50	↕ 36	
	Control	Chamber height cm	Cooking surface cm		
	Manual	17	35x35		
	Pizza Capacity	Max Temperature	Weight Kg		
	1 x Ø 30/34	 450 °C		39	
	Total Power KW	Voltage V	Phases Ph	Frequency Hz	
	2,20	230	1N + T	50	



Compact

Code
P10CP10021

Model
M35/17

General Features

Stackable up to 4 single chambers, according to your needs.






Innovative design, ergonomic handle to facilitate door opening.

Available in the version with a cooking surface of 35 or 50 cm.

Simple, fast, and compact. Ideal for any type of activity.



Compact

Code	Model	Dimensions LxWxH cm			
P10CP10022	M50/13-M	↔ 73	↗ 65	↕ 32	
	Control	Chamber height cm	Cooking surface cm		
	Manual	13	50x50		
	Pizza Capacity	Max Temperature	Weight Kg		
	2 x Ø 25 - 1 x Ø 45	 450 °C	 35		
	Total Power KW	Voltage V	Phases Ph	Frequency Hz	
	3,60	230	1N + T	50	



Compact

Code

P10CP10022

Model

M50/13-M

General Features

Stackable up to 4 single chambers, according to your needs.






Innovative design, ergonomic handle to facilitate door opening.

Available in the version with a cooking surface of 35 or 50 cm.

Simple, fast, and compact. Ideal for any type of activity.



Compact

Code	Model	Dimensions LxWxH cm			
P10CP10023	M50/13-B	↔ 73	↗ 65	↕ 57	
	Control	Chamber height cm	Cooking surface cm		
	Manual	13	50x50		
	Pizza Capacity	Max Temperature	Weight Kg		
	2 x Ø 25 - 1 x Ø 45	 450 °C	 62		
	Total Power KW	Voltage V	Phases Ph	Frequency Hz	
	7,20	230	1N + T	50	



Compact

Code

P10CP10023

Model

M50/13-B

General Features

Stackable up to 4 single chambers, according to your needs.

Innovative design, ergonomic handle to facilitate door opening.

Available in the version with a cooking surface of 35 or 50 cm.

Simple, fast, and compact. Ideal for any type of activity.

